CONDUIT COLOR CODES
1. WHITE (TONEABLE)
2. BLUE
3. GREEN
4. YELLOW
5. RED
6. ORANGE



TYPE 6-1 1/2"
TRENCHING DETAIL
SEE NOTE 5



TYPE 6 CONDUIT
INNERDUCT DETAIL

NOTES:

1. ALL CONDUIT SHALL BE SDR-11 HDPE COMMUNICATION.
2. ALL CONDUIT PLACEMENT SHALL BE PLACED PER CALIFORNIA GENERAL ORDER 128 (G.O.128).
3. ALL TRENCH OR BORING OF ITS CONDUIT SHALL HAVE ONE TONEABLE CONDUIT USED FOR TRACER.
4. CONDUITS SHALL BE WHITE, BLUE, GREEN, YELLOW, RED AND ORANGE AS NUMBERED ABOVE.
5. DIRECTIONAL BORING OPTIONAL.
6. REMOVE TRENCH SPOIL MATERIALS TO UNDISTURBED GROUND.
7. ALL CONDUITS SHALL CONTAIN CITY APPROVED PULL TAPE.

ITS CONDUIT TRENCH DETAIL NO. 2	REF. & REV. FEB 08	CITY OF FRESNO ITS-5